

Fast-track productivity and efficiency in mines with the right brakes

Efficient and productive mining facilities are characterised by smooth conveying operations. To successfully transfer heavy loads of materials over long distances - both uphill and downhill - mine conveyors need reliable and responsive braking systems. Using the latest advances in control technology and data processing, mine operators are able to monitor and control conveyor braking systems with more precision than even before. By improving the efficiency of the material handling network, productivity will improve.

Tilman Speer, International Sales Manager at Svendborg Brakes, a brand of Altra Industrial Motion Corporation, explains how to adopt smart controllers into braking systems for mining conveyors.

The ability to control the speed, acceleration and deceleration of conveyors is crucial to maximise material handling efficiency. In particular, it is extremely important to avoid abrupt start-ups, prevent conveyors from running backwards when travelling uphill or from rushing downhill under the influence of their load. Braking control is also necessary when mine operators need to halt conveyors or to avoid issues during power failures.

In these situations, the conveyor should not immediately come to a halt. The brakes should rather stop it in a gradual and controlled way to protect the power train from shock loads – a practice commonly referred to as 'soft braking'. In this way, it is possible to avoid excessive tension on the conveyor belt and eliminate considerable stress to multiple pieces of equipment, such as rollers.

Conventional braking systems, while facilitating controlled stopping and holding, have seldom been able to effectively modulate speed in operation or operate autonomously. Therefore, it is important for mine operators to explore new technologies that can deliver more responsive and reliable solutions to allow them to maximise productivity and increase equipment service life.

In addition to the traditional considerations of brake specification, a modern system should be specified based on its ability to automatically modulate the braking force: regulating the conveyor's speed, acceleration and deceleration. The most effective way to introduce soft braking is to equip the system with a control system based on a closed-loop feedback mechanism.

Choose a suitable control system

Closed-loop braking system controllers receive one or more reference signal from sensors associated with the conveyor, such as the conveyor's torque, speed and/or pressure. The controllers compare the data received to pre-defined setpoints, the results of which trigger a proportional corrective change to adjust the motion of the conveyor accordingly.

The best way to manage the data and modulate the braking force involves the use of controllers based on proportional integral (PI) algorithms, such as the SOBO[®] (Soft Braking Option) iQ solution from Svendborg Brakes. By combining proportional and integral responses, these controllers are able to handle the fast dynamics of the braking process in a highly efficient and reliable way.

Firstly, the proportional response offers immediate action to address a major difference between sensor data and setpoint. For example, if the conveyor's speed starts to rise significantly, exceeding the setpoint, PI controllers will need to promptly slow the conveyor by applying an elevated braking force.

The proportional action responds quickly, addressing big fluctuations, but cannot get the setpoint and sensor data to precisely match. In fact, the proportional term alone would likely excessively reduce the speed as well as consume more energy.

This is why the secondary, integral response is needed. This conducts an averaging operation that filters out small oscillations by taking into account past and present deviations over time. As a result, the controller is able to stabilise the braking force and ensure a gentle stop.

Offering actionable insight into the braking process

Having chosen to utilise PI braking controllers, it is essential for mines to fine-tune the proportional and integral terms, both individually and in relation to one another, to get the most suitable output and response: maximising performance, productivity and efficiency. This task requires extensive knowledge on how mining conveyors should move in different situations. This insight can be gained by leveraging the power of Big Data.

In systems such as SOBO[®] iQ, all the sensor data points obtained by the braking controllers are accessible and can be used by mine operators. In this way, they are empowered to identify key patterns as well as having real-time, remote monitoring capabilities to make on-the-fly adjustments when needed. As a result, the system helps operators to implement Industrial Internet of Things (IIoT) within their mining facilities.

In addition, Svendborg Brakes has a large installed base of SOBO[®] iQ braking control systems on mine conveyors around the world. This experience has allowed the company, to create a comprehensive and up-to-date data warehouse. This can be accessed by the company's global network of service technicians every time a new control system is installed or commissioned. Once SOBO[®] iQ is set up and the algorithms adjusted, not subsequent fine-tuning is required.

Case study: Controlling world's highest downhill mine conveyor

A coal mine in Colorado, U.S., needed a braking control system for its two downhill longwall panel conveyors. The challenge arose in maintaining a consistent stopping time of 35 seconds, even as the length of the conveyor changed as the longwall machine retreated.

Svendborg Brakes' SOBO[®] iQ offered the ideal system. Its dual-loop PI control, coupled with advanced functions, such as independent overspeed monitoring, rollback, gearbox and out-of-band monitoring, allowed the operators to ensure consistent stopping times in any situation.

Case study: Remain in control during power outages

A mine in Chile wanted a solution that would minimise the effects of power failures on its conveying operations. The most important aspect consisted in providing parking and tension control during a power failure. By ensuring that tension in the conveyor's belt is maintained, equipment stress would be minimised.

To address this issue, Svendborg Brakes decided to apply a torque feedback sensor on its SOBO[®] iQ. In this way, the system would monitor the line pull of the take-up winch cable, rather than conveyor's speed, thus gathering actionable insight into the actual tension.

Thanks to this new, smart brake modulating setup, the Chilean mine could maximise reliability and equipment service life.

Sophisticated braking is the route to success

Soft braking systems that ensure correct starting and stopping of mine conveyors require highly responsive and consistent solutions to assess and address different situations. The level of sophistication offered by PI controllers that feature state-of-the-art data processing and visualisation capabilities, such as SOBO[®] iQ, makes it possible for mine operators to succeed. By using such systems, they can create and maintain highly productive, reliable and efficient conveying systems, despite the challenging and unstable operating conditions.

By relying on skilled brake manufacturers that have extensive experience in intelligent braking solutions, such as Svendborg Brakes, mine operators can benefit for crucial support in identifying the most suitable system for a specific application, maximising performance, efficiency, equipment service life and, ultimately, productivity. Even more, they can rely on the company's expert teams for remote service and troubleshooting of the braking system, optimising uptime.

Image Captions:

Image 1: The SOBO[®] iQ solution from Svendborg Brakes uses controllers based on proportional integral algorithms. By combining proportional and integral responses, the controller is able to handle the fast dynamics of the braking process in a highly efficient and reliable way

Image 2: To successfully transfer heavy loads of materials over long distances, mine conveyors need reliable and responsive braking systems.
(Image Source: AdobeStock - Iia Vrublevskaya)

About Svendborg Brakes

Since 1989, Svendborg Brakes has been recognised as a leading global expert in intelligent braking solutions for industrial applications. Extensive application knowledge, innovative design, fast prototyping and exhaustive testing ensure that customers get the most technically advanced, most durable and safest braking systems to meet their specific requirements.

Svendborg Brakes offers a wide range of highly engineered products including hydraulic brakes and power units, thruster brakes, soft braking controls and couplings. Svendborg Brakes braking solutions are hard at work in key markets including renewable energy, mining, hydropower, cranes and oil & gas, mining, and marine & offshore on applications such as wind and tidal turbines, overland conveyors, propulsion systems, deck equipment, hoists, drawworks, elevators & escalators and dam turbines.

The image(s) distributed with this press release may only be used to accompany this copy, and are subject to copyright. Please contact DMA Europa if you wish to license the image for further use.

Editor Contact

DMA Europa Ltd : Philip Howe

Tel: +44 (0) 1562 751436

Fax: +44 (0) 1562 745315

Web: www.dmaeuropa.com

Email: philip@dmaeuropa.com

Company Contact

Svendborg Brakes : Britt Lightbody

Tel: +45 63 255 477

Fax: +45 62 281 058

Web: www.svendborg-brakes.com

Email: britt.lightbody@svendborg-brakes.com